

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
ALLISON								
50121	ALLISON MT640,650SERIES FWD & 4TH	20104	23016610, 6834374	72-ON	5.53	7.78	0.100	18
50123	ALLISON MT640,650SERIES 1ST RANGE	20106	23016606, 6834348	72-ON	7.33	9.74	0.100	36
50125	ALLISON MT640, 650SERIES 2ND&3RD	20105	6835707, 23016608	72-ON	8.83	11.50	0.100	11
AISIN WARNER								
35021	AW50-40,42LE FORWARD (C1)	59107	90348778, 7-11-399	89-ON	4.49	5.58	0.071	12
35021A	AW50-40,42LE, DIRECT-SELECTIVE, AW55-50/51SN C1-FWD , SATURN AF23-5 Forward	59107A	24220649, 35634-55A010	89-ON	4.49	5.60	0.078	12
35023	AW50-42LE (B1,C3) , AW55-50/51N (B1), SATURN AF23-5 2nd Coast (B1)	59101	90348787, 7-11-398	89-ON	3.58	4.56	0.071	8
35023A	AW50-40/42LE (C2), AW55-50/51SN (C3), SATURN AF23-5 4-5 Clutch (C1)	59109B	24220777	89-ON	3.58	4.70	0.071	18
35023B	AW50-42LE (C3)	59101C	N/A	99-07	3.58		0.098	18
35025	AW50-42LE (B3)	59105	90348807, 7-11-403	89-ON	5.66	6.63	0.071	15
35025A	AW55-50/51SN Low/Reverse - B3, SATURN AF23-5 Low/Reverse (B3)	59105B	90348808, 24220500	00-ON	5.66	6.65	0.071	13
35025B	AW55-50/51SN 5th Brake - B4, SATURN AF23-5 Reverse (B5)	59116	35632-55A010, 24220562	00-ON	4.90	5.91	0.071	12
35027	AW50-42LE (B2)	59103	90348795	89-98	5.66	6.67	0.098	10
35027A	AW50-42LM, AW55-50/51SN 2nd Brake (B2)	59103C	24220537	99-07	5.54	6.66	0.071	10
35027B	AW50-40,42LE 2nd Brake (B2), , SATURN AF23-5 2nd Brake (B2)	59103B	24224385	99-07	5.54		0.098	10
35029	AW50-40/42LE, AW55-50/51SN DIRECT (C2), SATURN AF23-5 Direct (C2)	59109	24220647, 90348774, 7-11-396	89-ON	3.58	4.57	0.071	12
35221	AW60-40LE (C0, 3/4TH CLUTCH)	59113	90444885, 35634-60A030A	92-ON	4.68	5.90	0.071	36
35221A	AW60-40LE (C0, 3/4TH CLUTCH)	N/A	N/A	92-ON	4.68	0.00	0.099	36
35223	AW60-40LE (C2, REVERSE)	59112	90444686	92-ON	4.10	5.26	0.071	6
35223A	AW60-40LE/60-41SN, SUZUKI AERIO (C2, REVERSE)	N/A	9120554	99-ON	4.10	5.54	0.071	15
35225	AW60-40LE (C1, FORWARD)	59109A	90444670,35634-60A010	92-ON	4.68	5.83	0.071	20
35225A	AW60-40LE (C1, FORWARD) Suzuki Aerio	N/A	N/A	02-05	4.68	0.00	0.063	20
35227	AW60-40LE (C3, COAST)	59101A	90444863	92-ON	4.09	5.90	0.071	16
35229	AW60-40LE (B1,B2, LOW/EVERSE)	59105A	90444973	92-ON	5.67	6.65	0.071	15
35221D	AW80/81-40LE (U440) 2nd Coast & 4th Brake (OD) -B1	N/A	93741450	05-ON	5.88	6.93	0.071	12
35221E	AW80/81-40LE (U440) Forward-C1	N/A	93741572	05-ON	3.79	4.72	0.071	18
35223D	AW80/81-40LE (U440) Direct-C2	N/A	93741585	05-ON	4.01	4.94	0.071	12
35225D	AW80/81-40LE (U440) Reverse -C3	N/A	93741588	05-ON	3.96	4.89	0.071	24
35227D	AW80/81-40LE (U440) #2 Reverse Brake	N/A	93741617	05-ON	5.15	6.41	0.079	12
35227E	AW80/81-40LE (U440) #3 1st & 2nd Brake -B3	N/A	93741618	05-ON	5.04	6.10	0.071	12
35229D	AW80/81-40LE (U440) 2nd Coast & 4th Brake (OD) -B1(0.079")	N/A	93741442	05-ON	5.88	6.93	0.079	12

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
AISIN WARNER (CONT)								
35229E	AW80/81-40LE (U440) 2nd Coast & 4th Brake (OD) -B1 (0.087")	N/A	N/A	05-ON	5.88	6.93	0.087	12
34321	AWTF60SN, VW 09G K1 - 1st, 2nd, 3rd, 4th	N/A	N/A	04-ON	5.15	6.02	0.070	40
34323	AWTF60SN, VW 09G K3 - Rev, 3rd, 5th	N/A	N/A	04-ON	5.15	6.38	0.070	40
34325	AWTF60SN, VW 09G B1 - 2nd & 6th	N/A	N/A	04-ON	6.61	7.53	0.069	12
34327	AWTF60SN, VW 09G B2 - Reverse	N/A	N/A	04-ON	6.22	7.08	0.069	14
34329	AWTF60SN, VW 09G K2 - 4th, 5th, 6th	N/A	N/A	04-ON	5.00	5.96	0.071	24
34321B	AWTF80 (AF40)/TF81SC(AF21) B2 CLUTCH-REVERSE	N/A	N/A	05-ON	6.81	7.69	0.071	14
34323B	AWTF80 (AF40)/TF81SC(AF21) C1 CLUTCH - 1ST,2ND,3RD,4TH	N/A	N/A	05-ON	5.56	6.41	0.071	40
34325B	AWTF80 (AF40)/TF81SC(AF21) C2 CLUTCH- 4TH, 5TH, 6TH	N/A	N/A	05-ON	5.64	6.52	0.071	36
34327B	AWTF80 (AF40)/TF81SC(AF21) C3 CLUTCH 3RD,5TH	N/A	N/A	05-ON	5.64	6.73	0.091	36
34321D	AWTR60SN(09D) K-1 CLUTCH	N/A	N/A	04-On	5.89	6.73	0.078	36
34323D	AWTR60SN(09D) K-2 CLUTCH	N/A	N/A	04-On	4.50	5.62	0.078	36
34325D	AWTR60SN(09D) K-3 CLUTCH	N/A	N/A	04-On	5.75	7.00	0.078	36
34327D	AWTR60SN(09D) B-1 CLUTCH	N/A	N/A	04-ON	6.69	8.15	0.079	10
34329D	AWTR60SN(09D) B-2 CLUTCH	N/A	N/A	04-ON	6.27	7.16	0.071	24
BORG WARNER								
31721	BW35,65,4139 FRT,REAR	19205	3164873, 3212388	62-ON	3.13	4.47	0.068	44
31723	BW35,37,65,4139 REAR (DISHED)	19222	3164863	62-ON	3.13	4.47	0.068	40
CHRYSLER								
49521	CHRYSLER 45RFE, 5-45RFE UNDERDRIVE, 45RFE, 5-45RFE, 68RFE REV INPUT	44112	4799105AB	99-ON	5.40	6.87	0.068	12
49523	CHRYSLER 45RFE, 5-45RFE, 68RFE OVERDRIVE	44116	4799398AB	99-ON	5.40	6.88	0.086	12
49527	CHRYSLER 45RFE, 5-45RFE LOW & REV	44111	4799460	99-ON	5.70	7.08	0.068	45
49529	CHRYSLER 45RFE, 5-45RFE, 68RFE 4TH	44114	4799529	99-ON	4.24	5.58	0.099	20
49923E	CHRYSLER 62TE 2nd/4th, Low/Reverse 0.099" THK	N/A	4659054	07-ON	5.26	6.39	0.099	16
49923F	CHRYSLER 62TE 2nd/4th, Low/Reverse 0.067" THK	N/A	4659055	07-ON	5.26	6.39	0.067	16
49925E	CHRYSLER 62TE Underdrive Low	N/A	68029389AA	07-ON	4.11	5.15	0.068	42
49021	CHRYSLERA404, 413,470,670, FRONT,REAR	32751	5205677	78-80	4.10	5.22	0.068	8
49023	CHRYSLERA404, 413,470,670, FRONT,REAR	32752	4207208, 4659379	81-ON	4.10	5.22	0.098	8
49025	CHRYSLER A404, 413,470,670 REAR	32753	5224073, 4659378	81-ON	4.26	5.21	0.068	8
49321	CHRYSLER A518,727,618 FRONT,REAR	22594	2124826, 8120891, 52118812AB	62-ON	5.35	7.04	0.068	12
49321A	CHRYSLER A518,727,618 FWD & DIR. (OVERSIZE)	22594X	2124826OS	62-ON	5.35	7.04	0.091	12

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
CHRYSLER (CONT)								
49443	CHRYSLER A618 O/D DIRECT 2nd DESIGN	22854A	4864053	98-ON	4.68	5.73	0.055	12
49443A	CHRYSLER A500, A518/A618 O/D DIRECT	12854	4461054	88-on	4.68	5.73	0.069	12
49447	CHRYSLER A500,518 OVERDRIVE BRAKE	12847	4461047	88-ON	5.03	6.48	0.069	12
49621	CHRYSLER A500,904 FRONT,REAR	12751	1942403, 8120890	60-ON	3.95	5.29	0.068	12
49621A	CHRYSLER A500,904 FRONT,REAR OVERSIZE	12751X	1942403OS	60-ON	3.95	5.28	0.089	12
49921	CHRYSLER A604, A606, 42RLE, 62TE Underdrive, Reverse	92183	4659053, 4377183	89-ON	4.53	5.82	0.067	8
49923	CHRYSLER A604, A606, OVERDRIVE	92190	4377190	89	4.53	5.83	0.100	8
49925	CHRYSLERA604, A606, 42RLE 2ND & 4TH	92135	4567910, 4659054, 4412247	89-ON	5.26	6.39	0.100	14
49927	CHRYSLER A604, A606, 42RLE LOW & REV	92162	4567911, 4659055, 4412262	89-ON	5.26	6.39	0.067	14
FORD								
45921	FORD FMX FRONT,REAR, AOD,FIOD FWD/REV	6205	C8AZ-7B442A, D3AZ-7B442A	80-93	3.91	5.47	0.068	54
46721	FORD CTX, CVT	N/A	6139782	90-ON	4.92		0.081	8
32331	FORD 4EAT-F (F4AEL) COAST	74112	F1CZ-7B442B, MU60-19-621	90-ON	3.86	4.70	0.063	26
32333	FORD 4EAT-F (F4AEL) FORWARD	74111	F1CZ-7B442A, FU61-19-571	90-ON	4.35	5.23	0.063	32
32335	FORD 4EAT-F (F4AEL) REVERSE	74113	F1CZ-7B442C, FU61-19-561	90-ON	6.32	7.15	0.063	32
32337	FORD 4EAT-F (F4AEL) LOW/REV.	74115	F1CZ-7B442E	90-ON	6.55	7.41	0.063	16
32339	FORD 4EAT-F (F4AEL) 3/4TH CLUTCH, SELECTIVE	74114	FU60-19-334A, F1CZ-7B442D	90-99	3.67	4.50	0.063	38
32339A	FORD 4EAT-F (F4AEL) 3/4TH CLUTCH W/F1CZ-7A262C PISTON	74114A	F1CZ-7B442F, FU64-19-334B	91-ON	3.67	4.51	0.091	38
32339C	FORD 4EAT-F (F4AEL) 3/4TH CLUTCH	74114C	FW30-19-334	94-ON	3.70	4.51	0.130	38
32339D	FORD 4EAT-F (F4AEL) OVERDRIVE	74114B	FU64-19-334A, F1CZ-7B442D	90-96	3.67	4.51	0.071	38
43021	Ford 6F50 / 6F55 , GM 6T70/75, 2, 6 Clutch	N/A	N/A	07-ON	7.21		0.115	5
43023	Ford 6F50 / 6F55 , GM 6T70/75, 4, 5, 6 Clutch	N/A	24223820, 7T4Z-7B442A	07-ON	3.93	5.03	0.069	36
43025	Ford 6F50 / 6F55 , GM 6T70/75, 3, 5, Reverse Clutch - internal spline	N/A	24223812, 7T4Z-7B442B	07-ON	OD6.588	6.59	0.115	36
43027	Ford 6F50 / 6F55 , GM 6T70/75, #1 Brake Clutch	N/A	N/A	07-ON	7.76		0.069	10
43029	Ford 6F50 / 6F55 , GM 6T70/75, Low Reverse Clutch	N/A	N/A	07-ON	6.90		0.085	12
31821F	FORD 6R60 (ZF6HP26/A) Input (A) Clutch, C- 2nd/6th Brake (0.118")	N/A	1068-377-020	02-ON	6.45	7.68	0.118	30
31821G	FORD 6R60 (ZF6HP26/A) A - Input (0.105", Selective)	N/A	1068-377-023	02-ON	6.45	7.68	0.105	30
31821H	FORD 6R60 (ZF6HP26/A) A - Input (0.129", Selective)	N/A	1068-377-024	02-ON	6.45	7.68	0.129	30
31823F	FORD 6R60 (ZF6HP26/A) B - Direct (0.082")	N/A	1068-377-019	02-ON	6.45	7.68	0.083	30
31827F	FORD 6R60 (ZF6HP26/A) D - Low/Reverse (0.095")	N/A	1068-377-022	02-ON	6.45	7.68	0.095	30
31829F	FORD 6R60 (ZF6HP26/A) E - Overdrive (0.118")	N/A	1068-371-030	02-ON	4.21	5.41	0.118	24

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
FORD (CONT)								
46021	FORD AOD,FIOD DIRECT	76305	E0AZ-7B442A	80-89	3.67	4.87	0.070	28
46021A	FORD AOD,AODE DIRECT (GROB), except 96-on Lincoln Mark & Truck	76305A	E9SZ-7B442A	90-ON	3.66	4.99	0.700	34
46021B	FORD AOD,AODE DIRECT (GROB), Lincoln Mark & Truck	76305B	F6AZ-7B442AA	96-ON	3.66	5.00	0.079	34
46023	FORD AOD,AODE/4R70W, 4R75W INTER.	76605	E0AZ-7B442B1, XL3Z-7B442BA	80-98	5.87	7.45	0.069	18
46023A	FORD AOD,AODE/4R70W, 4R75W INTER, SELECTIVE	76606	XL3Z-7B442-BA, E0AZ-7B442-B2	80-98	5.87	7.45	0.079	18
46025	FORD AOD,AODE/4R70W, 4R75W FWD (GROB)	76405	F0SZ-7B442A	90-ON	3.91	5.64	0.069	34
46025A	FORD AOD,AODE/4R70W, 4R75W REV. (GROB)	76407	E9SZ-7B442B, E2TZ-7B442A	90-ON	3.90	5.52	0.068	32
46027	FORD AOD,AODE/4R70W, 4R75W INTER, SELECTIVE	76607	E0AZ-7B442B3, XL3Z-7B442-CA	80-98	5.86	7.43	0.089	18
46029	FORD AOD,AODE/4R70W, 4R75W INTER, SELECTIVE	76608	E0AZ-7B442B4, XL3Z-7B442DA	80-98	5.86	7.44	0.100	18
33542	FORD ATX DIRECT	86305	E1FZ-7B442A	81-ON	3.89	5.25	0.070	18
33543	FORD ATX INTERMEDIATE (6.383" ID)	86405	E1FZ-7B442B, E2FZ-7B442A	81-94	6.38	7.49	0.070	36
33544	FORD ATX REVERSE (6.378" ID)	86505	E1FZ-7B442C	81-ON	6.38	8.57	0.070	11
46321	FORD AXOD/E,AX4S,4N FWD,DIR,INT	96100	E6DZ-7B442A, XF2Z-7B442AA	86-ON	4.72	6.07	0.070	34
46323	FORD AXOD,AXODE,AX4S, AX4N REV.	96101	E6DZ-7B442C, XF1Z-7B442AA	86-ON	4.82	6.16	0.070	54
46325	FORD AXOD,AX4N INTER	96104	E6DZ-7B442B	86-88	4.72	6.07	0.090	34
46327	FORD AXOD/E, AX4N FORWARD	96100A	F2DZ-7B442A, XF1Z-7B442BA	L91-ON	4.94	6.06	0.069	34
46329	FORD AX4N LOW & INTER	96106	F6DZ-7B442A, F5DZ-7B442B	96-ON	4.76	6.29	0.069	32
31521	FORD C3 FWD	56405	D4ZZ-7B442A	81-ON	3.80	4.82	0.080	19
31523	FORD C3 HIGH, REVERSE	56305	D4ZZ-7B442B	74-77	3.97	5.05	0.078	20
31525	FORD C3, A4LD/E, 4R44E, 5R55E FWD	56405A	D8ZZ-7B442A	78-ON	3.80	4.82	0.070	19
45021	FORD A4LD RE,HI,OVERDRIVE	56305A	D8ZZ-7B442B	78-89	3.97	5.05	0.071	20
45023	FORD A4LD,4R44E,4/5R55E FORWARD	56405B	F0TZ-7B442A	90-ON	3.80	4.81	0.064	19
45023A	FORD 5R55N/S/W FORWARD	56405J	XW4Z-7B442AA	99-ON	4.64	5.42	0.067	27
45025	FORD A4LDE, 4R44E, 4R55E High & Reverse /Overdrive/Coast, 5R55N/W/S Overdrive/Coast	56305B	F0TZ-7B442B, XW4Z-7B442GA	90-ON	3.97	5.04	0.065	20
45027	FORD 5R44E, 5R55E REV, HIGH	56305C	F77Z-7B442AA	97-ON	3.96	5.04	0.082	20
45321	FORD C4 HIGH/REV FWD	26305A	C4AZ-7B442B	64-81	3.60	6.07	0.078	26
45321A	FORD C4 FWD/REV.(DIRECT), OVERSIZE 0.095"	26305X	C4AZ-7B442B(OS)	64-86	3.596	4.783	0.095	26
45621	FORD C6 DIRECT, E4OD, 4R100 FWD, DIR.	36305	C6AZ-7B442A, E9TZ-7B442D,	66-ON	5.12	6.57	0.078	22
45621A	FORD C6 DIRECT, OVERSIZE	36305X	C6AZ-7B442AX	66-96	5.13	6.57	0.095	22
45623	FORD C6 REV., E4OD, 4R100 5R110W REV./LOW	36505	3C3Z-7B442DA, E9TZ-7B442E	03-ON	5.70	7.19	0.069	18
46442	FORD E4OD/4R100/5R110W OVER DRIVE	36104, 36104A	E9TZ-7B442A, 3C3Z-7B442AA	89-ON	7.47	9.02	0.079	6

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
FORD (CONT)								
46462	FORD E4OD	36102	E9TZ-7B442C	89-98	5.85	6.80	0.080	60
46462A	FORD 4R100/5R110W COAST STAMPED DRUM	36102A, 36102B	F81Z-7B442AA, 3C3Z-7B442EA	98-ON	5.85	7.09	0.079	32
46466	FORD E4OD INTERMEDIATE	36106	E9TZ-7B442B	89-98	6.21	8.34	0.080	28
46466A	FORD 4R100 INTERMEDIATE	36415C	F9TZ-7B066C	99-ON	6.21	8.34	0.125	26/30
46621	FORD 5R110W Direct (03-ON), Forward (03-04)	36305B	3C3Z-7B442CA, FC3Z-7B442-CA	03-ON	5.12	6.70	0.079	28
46623	FORD 5R110W Forward	N/A	5C3Z-7B442BB	05-ON	5.38	6.70	0.079	20/28
27821	FORD/MAZDA 4EAT-G 3/4 OVERDRIVE	71114	FU01-19-334	86-87	4.02	4.86	0.063	16
27823	FORD/MAZDA 4EAT-G COAST	71112	FU01-19-621A, E92Z-7B442B	86-ON	4.42	5.38	0.063	32
27825	FORD/MAZDA 4EAT-G LOW/REV	71115	FU01-19-451B, E92Z-7B442E	86-ON	7.13	8.15	0.063	15
27827	FORD/MAZDA 4EAT-G FWD	71111	FU01-19-571, E92Z- 7B442A	86-92	4.81	5.97	0.063	8
27827A	FORD/MAZDA 4EAT-G FWD	71111A	F32Z-7B442C	93-ON	4.81	5.98	0.063	32
27829	FORD/MAZDA 4EAT-G REVERSE	71113	FU01-19-561, E92Z- 7B442C	86-92	7.10	7.97	0.063	12
27829A	FORD/MAZDA 4EAT-G REVERSE	71113A	F32Z-7B442D, FU9A-19-561	93-ON	7.08	6.39	0.063	32
27881	FORD/MAZDA 4EAT-G 3/4(OVERDRIVE)	71114B	FU32-19-334	88-92	4.02	4.87	0.090	30
27881A	FORD/MAZDA 4EAT-G 3/4(OVERDRIVE)	71114C	F32Z-7B442B, FU9D-19-334	93-ON	4.02	4.88	0.130	29
27883	FORD/MAZDA 4EAT-G 3/4 OVERDRIVE NONE-TURB, NARROW SPL.	71114A	FU50-19-334, E92Z- 7B442D	88-ON	4.02	4.87	0.063	29
32321D	FORD/MAZDA 4F27E/FN4A-EL LOW/REVERSE	46113	FN01-19-451, XS4Z- 7B442BB	99-ON	5.57	6.59	0.063	12
32323D	FORD/MAZDA 4F27E/FN4A-EL FWD	46111	FN01-19-571, XS4Z- 7B442CB	99-ON	3.70	4.77	0.063	32
32325D	FORD/MAZDA 4F27E/FN4A-EL REVERSE	46114	FN01-19-561, XS4Z- 7B442AB	99-ON	5.00	5.72	0.063	36
32327D	FORD/MAZDA 4F27E/FN4A-EL DIRECT	46112	FN01-19-334, XS4Z- 7B442DB	99-ON	3.70	4.77	0.138	32
46521	FORD/MAZDA CD4E,LA4AEL LOW/REV	73105	F3RZ-7B442B, FW50-19-451	93-ON	7.80	8.95	0.069	18
46521A	FORD/MAZDA CD4E,LA4AEL LOW/REV, SELECTIVE	73105C	F3RZ-7B066F	93-ON	7.80	8.94	0.098	18
46521B	FORD/MAZDA CD4E,LA4AEL LOW/REV, SELECTIVE	73420A	F3RZ-7B066E	93-ON	7.80	8.94	0.091	18
46521C	FORD/MAZDA CD4E,LA4AEL LOW/REV, SELECTIVE	73105A	F3RZ-7B066D	93-ON	7.80	8.94	0.083	18
46523	FORD/MAZDA CD4E,LA4AEL DIRECT (2.5L)	73103	F3RZ-7B442E, FW50-19-334	93-ON	4.11	5.54	0.079	32
46525	FORD/MAZDA CD4E,LA4AEL REV INPUT	73107	F3RZ-7B442A, FW50-19-4G9	93-ON	4.75	6.24	0.071	32
46527	FORD/MAZDA CD4E,LA4AEL FORWARD	73101	F3RZ-7B442C, FW50-19-571	93-ON	4.27	5.53	0.067	32
46529	FORD/MAZDA CD4E,LA4AEL COAST	73109	F3RZ-7B442D, FW50-19-623	93-ON	3.79	5.54	0.071	20
GM								
41721H	GM 4L80E OVERUN W/ TURBULATOR HOLES	34101A	24204287	91-ON	4.52	5.59	0.099	14
41723H	GM 4L80E 4th W/ TURBULATOR HOLES	34104A	24204283	91-ON	6.29	7.71	0.099	8

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
GM (CONT)								
41527A	GM 4L80E INTERMEDIATE	34405E	8675522	64-95	4.99	6.89	0.076	22
41821	GM 4T40E FORWARD	33101	8684444	95-ON	4.08	5.22	0.069	30
41823	GM 4T40E DIRECT, INTERNAL TEETH, OD 4.965	33105	8685879	95-ON	3.70	4.96	0.074	16
41825	GM 4T40E 2ND	33107	24200790, 24200279	95-ON	4.80	6.94	0.089	8
41827B	GM 4T40E REVERSE INPUT	33111	24200757	95-97	3.99	5.52	0.086	30
41827	GM 4T40E REVERSE INPUT (W/ HOLES)	33111A	24207081	98-ON	3.99	5.52	0.086	30
41827A	GM 4T40E REVERSE (WAVE)	33113	24200466	95-ON	3.99	5.51	0.043	30
41829	GM 4T40E COAST	33115	8685874	95-ON	2.44	3.50	0.069	12
41921	GM TH440-T4, 4T60/E, 4TH	84105	8656767, 8644035	83-96	3.47	5.99	0.077	3
41921A	GM 4T60/E 4TH	84105B	8661006	90-93	3.47	5.97	0.074	5
41921B	GM 4T60E 4TH	84114G	8680771	93-ON	3.47	5.97	0.134	5
41921C	GM 4T65E 4TH Exteral Teeth	84105M	24208013	97-03	3.50	5.99	0.085	3
41923	GM TH440-T4,4T60E 3RD	84101	8656313	83-91	3.37	4.99	0.090	12
41923A	GM TH440-T4, 4T60/3 FWD INPUT	75104A	8651446	90-94	3.51	4.99	0.051	26
41923C	GM TH440-T4,4T60E 3RD (WAVED)	84109	8656645	83-97	3.37	4.99	0.030	12
41925	GM TH440-T4,4T60 2ND	84104	8656642, 8662309	83-86	3.79	5.43	0.090	36
41929	GM 4T60/E 2ND	84104A	24203372, 8662006	87-ON	3.79	5.43	0.077	34
41929A	GM 4T60E/4T65E 2ND	84104M	24204104	87-ON	3.88	5.63	0.067	36
41929B	GM 4T60E 2ND, WAVE	84106	8658463	93-ON	3.79	5.42	0.044	36
42721	GM 4T80E FWD	72101	8679584	93-ON	5.20	6.69	0.770	16
42723	GM 4T80E 2ND	72103	8681834, 8677609	93-94	5.57	7.94	0.089	5
42723A	GM 4T80E 2ND	72103A	8684721	95-ON	5.56	8.00	0.081	5
42725	GM 4T80E 3RD	72105	8677612	93-ON	3.99	6.26	0.090	22
42727	GM 4T80E REVERSE	72107	8677616	93-ON	4.70	6.29	0.091	22
42321D	GM 6L80/E, 6L90E 6SPD 1-2-3-4 Clutch	N/A	24232499	06-ON	6.36	8.04	0.067	9
42327D	GM 6L80/E, 6L90E 6SPD 2-6 Clutch	N/A	24232497	06-ON	6.67	8.17	0.087	36
42323D	GM 6L80/E, 6L90E 6SPD 3-5 Reverse Clutch	N/A	24232498	06-ON	6.73	8.04	0.108	36
42325D	GM 6L80/E, 6L90E 6SPD 4-5-6 Clutch	N/A	24224648	06-ON	4.25	5.40	0.088	36
42329D	GM 6L80/E, 6L90E 6SPD Low/Reverse Clutch	N/A	24232496	06-ON	6.01	7.40	0.068	36
29621A	GM GEO STORM JF403 REAR (REVERSE), NISSAN RE4F04A/B REVERSE	64101	80X00, 31536-80X09	90-ON	4.96	5.76	0.071	30
29627C	GM GEO/ISUZE JF403E HIGH	64105A	97043655	92-93	3.70	4.70	0.079	28

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
GM (CONT)								
42923	GM POWER GLIDE REV FLAT	18507A	1379373, 6256553	62-73	5.73	7.12	0.070	6
41225C	GM 4L60E LOW & REV SELECTIVE TURBULATED	77584D	24205269	97-ON	5.72	6.88	0.049	17
41225D	GM 4L60E LOW & REV SELECTIVE TURBULATED	77584E	24205270	97-ON	5.72	6.88	0.088	17
42221	GM TH 700-R4 4L60 FWD WAVED	77123	8647058, 8642168	84-3/95	4.26	6.08	0.070	20
42223	GM TH 700-R4 4L60 3RD&4TH EARLY	77114	8642173, 8678054	82-92	5.00	6.12	0.078	20
42223A	GM TH 700-R4 4L60 3RD/4TH	77114B	8685045	93-ON	5.00	6.12	0.106	20
42223B	GM TH700-R4, 4L60/E 3RD/4TH WITH NOTCH	77114A	8671900, 8678053	82-ON	5.00	6.12	0.075	20
42223C	GM TH700-R4, 4L60/E 3RD/4TH WITH NOTCH	74114X	8663633X	82-ON	5.00	6.12	0.060	20
42223F	GM 4L65E 3RD/4TH	77114E	24216939	01-ON	5.00	6.12	0.095	20
42225	GM TH 700-R4 4L60 OVERRUN	77112	8642154	82-ON	4.26	5.97	0.092	10
42227	GM TH 700-R4 4L60 REV INPUT WAVED	77121A	8647067	82-ON	5.08	6.38	0.080	30
42229	GM 4L60E REV. INPUT TURBULATED	77111A	24205267	97-ON	5.09	6.38	0.078	36
42229A	GM TH700-R4, 4L60 REV. INPUT w/o TURBULATED HOLES	77111	8642061, 8673601	82-96	5.09	6.38	0.078	36
42321	GM TH 700-R4 4L60 FWD	77113A	8654325	85-ON	4.26	6.08	0.090	20
42327	GM TH 700-R4 4L60 FWD	77113	8642167	82-84	4.26	6.08	0.078	20
33511	GM TH125/C, TH440-T4, 4T60/E, 4T65E FWD INPUT	75104	8631379, 8634084	80-ON	3.52	4.99	0.076	26
33513	GM TH125/C, 4T60E. 4T65E FORWARD, WAVED	75105	8652126, 8664155, 8675257	82-ON	3.52	4.99	0.051	29
33515	GM TH125/C DIRECT	75100	8631026	80-ON	3.50	4.99	0.900	24
33517	GM TH125/C LOW/REV	75101	8631079	80-84	4.37	5.90	0.079	11
33517A	GM TH125/C LOW/REV	75101X	8652027, 8631079X	85-ON	4.37	5.90	0.088	11
31621	GM TH180/C,4L30E,4141 2ND	54205A	711423, 5258956	69-ON	4.30	5.44	0.083	36
31623	GM TH180/C,4L30E,4141 3RD	54221C	711422, 5258955	69-ON	2.87	4.10	0.083	30
31625	GM TH180C/OPEL 2ND (SELECTIVE) THIN	54205	711420, 5258057	69-76	4.30	5.44	0.070	36
31627	GM TH180C/OPEL 3RD (SELECTIVE) THIN	54221	711421, 5258086	69-76	2.84	4.09	0.070	30
31629	GM TH180/C,4L30E,4141REV	54221B	725653, 5258957	69-ON	5.69	6.82	0.083	6
31629A	GM TH180/OPEL REV. CLUTCH, THIN	54221A	725652, 5258019	69-76	5.69	6.82	0.070	7
31651	GM 4L30E OVERDRIVE BRAKE	54107	8-96014-187-0	90-ON	5.84	7.23	0.083	7
31655	GM 4L30E OVERRUN	54109	8960141940, 8944798750	90-ON	3.96	5.48	0.083	36
33503	GM TH200/C,200-R4,325 DIRECT	65100	8628484, 8678930	76-90	4.34	5.58	0.090	26
33503A	GM TH200/C,200-R4, DIRECT, OVERSIZE	65100X	8628484X	76-90	4.34	5.57	0.101	26
33505	GM TH200/C,200-R4,325 LOW/REV	65101	8628224, 8678922	76-90	4.69	6.01	0.080	22

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
GM (CONT)								
33507	GM TH200/C,200-R4,325-4L FWD	65104	8628086, 8678902, 8628488	76-90	4.33	5.57	0.080	30
40721	GM TH200-4R,325-4L O/D(4TH)	65109	8634026, 8678928	81-90	5.84	7.43	0.080	6
40723	GM TH200-4R,325-4L OVERRUN	65112	8634050, 8678930	81-90	3.96	5.46	0.080	36
41221	GM TH350/C INTER	35104	8640672, 6261450	69-86	6.14	8.22	0.068	7
41221A	GM TH 350 INTER SPACES DISHED OVERSIZE	35104X	8640672OS	69-86	6.14	8.21	0.089	7
41223	GM TH350/C FWD/DIRECT	35100	6261071	69-86	4.87	6.16	0.068	14
41223A	GM TH350/C FWD/DIRECT OVERSIZE	35100X	6261071OS	69-86	4.68	6.14	0.091	14
41225	GM TH350/C, TH700-R4, 4L60/E LOW & REV W/ O TURBULATOR HOLES	35101	6261120	96-ON	5.73	6.89	0.068	17
41225H	GM TH350/C, TH700-R4, 4L60/E LOW & REV W/ TURBULATOR HOLES	77105A	8680439, 24205268	96-ON	5.73	6.89	0.068	17
41225A	GM TH 350/TH700-R4 LOW & REV OVERSIZE	35101X	6261120OS	69-86	5.73	6.88	0.079	17
41521	GM TH400,FWD,DIRECT (WAVED)	34305	8623113	64-66	4.57	6.28	0.068	12
41523	GM TH400, 425, 4L80E ALLISON 540 FWD, DIR	34305C	8625197, 29530330	67-ON	4.56	6.28	0.090	12
41525	GM TH400, 4L80E, ALLISON 540 FORWARD	34305A	8623849	94-95	4.56	6.28	0.078	12
41527	GM TH400, 425 INTERMEDIATE	34405	8623150, 8655621	64-95	5.00	6.92	0.099	22
41529	GM TH400, 425 FOWARD, DIRECT WAVED	34305B	8623851, 8679940	64-95	4.57	6.28	0.060	12
41529A	GM TH400/4L80E FORWARD AND DIRECT (DISHED)	34305D	8680816, 8625196	64-ON	4.80	6.28	0.055	2
41321	GM 6T40, 6T45 1-2-3-4 Clutch	N/A	24231263	08-ON	7.43	9.57	0.067	11
41323	GM 6T40,6T45 LOW/REVERSE	N/A	24231258	08-ON	7.65	9.53	0.067	12
41325	GM 6T40, 6T45 2-6	N/A	24230731	08-ON	7.45	9.09	0.114	15
41327	GM 6T40, 6T45 4-5-6	N/A	24230754	08-ON	3.78	5.00	0.068	36
41327A	GM 6T40, 6T45 4-5-6	N/A	24230753	08-ON	3.78	5.00	0.114	36
41329	GM 6T40, 6T45 3-5 REVERSE, INTERNAL SPLINE	N/A	24230758	08-ON	5.50	6.81	0.114	36
HONDA								
28021	HONDA 2SPD LOW/DRIVE	78100	22536-639-000	73-80	2.84	3.97	0.080	39
28023	HONDA CIVIC, DELSOL, A24A, M24A, P24A, S24A, S4XA, MP7A	88111	22543-PS5-003	89-ON	2.80	4.15	0.080	18
28023A	HONDA S4XA,SDMA LOW-HOLD	88111A	22543-PS5-013	96-UP	2.80	4.15	0.063	18
28121	HONDA 3 SPEED AK,AJ,AM,AW,PA9,PC9, 1/2/3RD	88100	22543-PA9-000	80-85	3.23	4.58	0.080	8
28221	HONDA CA,M4VA,P1,L4,A24A, M24A,P24A,S24A,AK,AS, 1,2,3,4TH.	88102	22543-PC9-000	84-ON	3.23	4.58	0.080	8
28221A	HONDA CA,M4VA,P1,L4,AS, A4RA, B4RA,BDRA,M4RA 1,2,3,4TH SELECTIVE	88102X	22543-PH0-000X, 22543-PH0-850X	3.23	3.23	4.58	0.070	8
28223B	HONDA CIVIC HX M4VA, SCZA (CVT), REVERSE	88119	22544-P4V-003	96-UP	5.17	6.07	0.076	12
28223C	HONDA CIVIC HX MLYA/SLYA (CVT) REVERSE	88119A	22544-PLY-003	01-UP	5.17	6.07	0.053	12

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
28621	HONDA F4,PF4,K4,PY8A,MY8A,RO,MP7A,SP7A,G4,L5,PL5X,MPW	88108	22543-PF4-000	85-ON	3.43	4.81	0.079	10
28621A	HONDA MPYA,M5HA,M5DA 1,2,3,REV,LOW	98116	22543-PY4-003	91-ON	3.75	5.26	0.079	20
28621B	HONDA M7WA, MGFA, B7WA 2ND	121112	22673-P7W-003	00-ON	3.75	5.44	0.063	20
28623	HONDA A24A,M24A,P24A,S24A,1,2,3,4, P1,L4,AK,AS	88110	22543-PH0-850	86-ON	3.24	4.57	0.063	8
28623A	HONDA MPYA 3rd, 4thTH	98109	22643-PY4-003, 22645-PY4-003	91-ON	3.76	5.25	0.103	20
28625	PX4B,APX4,MP1A,MPOA,AOYA,A6VA,M6HA,B6VA,BAXA, MAXA 2ND/3RD	98113	22644-PX4-013, 22656-PAX-003	90-ON	3.68	4.98	0.102	24
28627	HONDA MPZA,PX4B,APX4,MP1A, MPJA,MPOA,AOYA,1,2,3,4, MRMA 2ND	98111	22543-PX4-003, 22653-P7Z-003	90-ON	3.68	4.98	0.079	24
28627A	Accord BCLA/MCLA, 1st/3rd 03-04N, Element BZKA, MZKA, CR-V MRVA/MCVA 1st 02-04	98119	22543-P0X-003, 22543-RCL-901	90-97	3.67	4.98	0.063	24
28627B	HONDA MPZA LOW-HOLD, SEL	N/A	22681-P0Z-003	95-97	3.68	5.41	0.063	6
28627C	HONDA MPZA LOW-HOLD	98117B	22683-P0Z-003	95-97	3.68	5.41	0.079	6
28627D	HONDA ACURA M7WA, B7WA, BDGA, BAYA, MAYA, MGFA, LOW-HOLD	121114	22643-P7W-003	00-ON	3.68	5.41	0.071	6
28627H	HONDA Element BZKA, MZKA, CR-V 3rd / 4th	98356	22653-PPV-A01	02-ON	3.70	5.13	0.091	20
28629A	HONDA MPRA,RO,MP7A 2ND (0.079")	88109C	22643-PR0-003	91-93	3.45	4.82	0.079	24
28629B	HONDA MPWA,M1WA,M4VA,B6VA 2ND,4TH	88109B	22653-PX3-801, 22544-PR0-000	91-98	3.44	4.82	0.091	24
28629C	HONDA M6HA, B6VA 2ND	98114	22543-P6H-003	97-ON	3.60	4.81	0.063	24
28629D	HONDA M6HA, B6VA 1ST	98111E	22523-P6H-003, 22523-PAX-003	97-ON	3.60	4.81	0.079	24
28629E	HONDA BAXA, MAXA, MDWA 2ND	98114A	22543-PAX-003, 22543-P6H-901	98-ON	3.60	4.81	0.091	24
28629G	HONDA BCLA,MCLA,MKYA,GPLA,MKZA,GPPA,MRMA 4TH AND 5TH	N/A	22653-PRP-901	05-ON	3.70	5.11	0.079	24
28631	HONDA PX4B,APX4,MP1A,MPJA,MPOA,AOYA,M6HA,B6VA,M7Z 3/4TH,MR9A 2ND, 3RD, 4TH	98115	22653-PX4-003, 22656-P7Z-003	90-ON	3.68	4.99	0.091	24
28631B	HONDA BAYA/MAYA, ACURA M7WA LOW	121111	22543-P7W-003	00-ON	4.07		0.063	24
28721B	HONDA Acura RSX MARA 1St, 3rd -FLAT	121111C	22543-PRP-901	02-ON	3.68	4.97	0.079	20
28721E	HONDA FIT CVT, SMMA LOW CLUTCH	N/A	22543-RPC-003	07-ON	3.24	4.43	0.063	32
28723E	HONDA FIT CVT, SMMA 2ND CLUTCH	N/A	22543-RMM-004	07-ON	3.39	4.99	0.091	30
28723F	HONDA FIT CVT, SMMA 4TH CLUTCH	N/A	22653-RPC-004	07-ON	3.39	4.99	0.063	30
28823	HONDA MP7A, MP5A,SP7A,S4XA,SDMA 2,3,4	88113	22543-P56-N00	94-ON	3.22	4.81	0.079	10
28823A	HONDA S4XA,SDMA,M4TA LOW (1ST)	88114	22543-P4X-000	96-ON	3.22	4.81	0.063	10
28823C	HONDA CIVIC B46A/M4RA, B4RA, S4RA, BDRA, BMXA/SLXA LOW	88116, 88108A	22543-P4R-003	96-ON	3.23	4.56	0.063	18
28823D	HONDA CIVIC B46A/M4RA, B4RA, S4RA, BDRA, BMXA/SLXA 2, 3, 4	88117, 89113A	22530-PR4-003, 22643-P4R-003	96-ON	3.23	4.56	0.079	18
28921	HONDA B7YA,B7VA,MPJA 1ST/2ND, WIDE TOOTH	98111G	22543-P7T-003	96-ON	3.67	5.11	0.079	20
28921A	HONDA B7YA,B7VA, MPJA 4TH	98116G	22653-P7T-003	96-ON	3.67	5.26	0.079	20
28923	HONDA B7YA,B7VA, MPJA 3RD, 5TH, NARROW TOOTH	98115G	22656-P7T-003	96-ON	3.67	5.26	0.091	20

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
HONDA (CONT)								
28923A	HONDA B7WA, MGWA, M7WA,BYBA, BAYA, MAYA 3RD	121113	22653-P7W-003	00-ON	3.46		0.091	24
28923B	HONDA MGHA, BYBA, BGHA, BVGA, BGRA 3RD	121113A	22653-PGH-003	01-ON	3.46	5.10	0.091	20
MAZDA								
32521	JF506E High (0.095", 18T)	122116	FP01-19-6E1	02-ON	3.60	4.69	0.095	18
32521A	JF506E High (0.063", 18T)	122117	FP01-19-6E2	02-ON	3.60	4.69	0.063	18
32523	JF506E Low/Reverse	122112	FP01-19-609	02-ON	5.91	6.81	0.055	10
32523A	JF506E Low (0.055", 32T)	122113	FP01-19-561	02-ON	4.84	5.67	0.055	32
32525	JF506E Direct	122111	FP01-19-499	02-ON	3.38	4.26	0.079	24
32527	JF506E Overrun (2-4 Brake) (0.118", 7T)	122114	FP01-19-3N4	02-ON	6.66	8.07	0.118	7
32529	JF506E Reverse (0.078", 36T)	122115	FP01-19-571	02-ON	5.61	6.42	0.078	36
27321	FORD F3A, N4AEL FWD, DIRECT, OVERDRIVE	91100	FT01-19-499	90-ON	3.62	4.77	0.059	28
27321A	MAZDA N4AEL DIRECT	91100A	BV01-19-499	91-92	3.62	4.78	0.098	28
27323	MAZDA F3A LOW/REVERSE	91104	FT01-19-609, 94140789	81-ON	5.12	5.96	0.063	37
29623B	MAZDA JF4AEL,LJ4AEL FWD	64107A	FX01-19-591, FX01- 19-561A	95-ON	4.93	5.67	0.055	32
29621D	MAZDA RC4AEL, ISUZU JR405E, Low / Reverse	N/A	N/A	04-ON	5.08	6.22	0.079	20
29623D	MAZDA RC4AEL, ISUZU JR405E Low	N/A	N/A	04-ON	4.84	5.66	0.080	27
29625D	MAZDA RC4AEL, 2-4 Brake	N/A	N/A	04-ON	4.92	5.89	0.071	15
29627F	MAZDA RC4AEL, ISUZU JR405E Reverse	N/A	N/A	04-ON	4.21	5.89	0.063	32
29629D	MAZDA RC4AEL, High	N/A	N/A	04-ON	4.21	5.89	0.079	8
29629E	ISUZU JR405E High	N/A	N/A	04-ON	4.21	5.89	0.114	8
29621H	JF405E(JF402E) Low	N/A	45421-02700	03-ON	3.98	4.16	0.055	36
29623H	JF405E(JF402E) LOW/ REVERSE	N/A	45463-02700	03-ON	4.76	3.47	0.071	10
29625H	JF405E(JF402E) REVERSE	N/A	45487-02700	03-ON	3.94	4.56	0.079	16
29627H	JF405E(JF402E) HIGH	N/A	45449-02700	03-ON	2.94	3.71	0.079	36
MERCEDES								
31421	MERCEDES 722.3,722.5 (K2)	68116E	126-272-3526	81-97	3.46	5.28	0.197	6
31421A	MERCEDES 722.3,722.5 (K2)	68116	126-272-4726	81-ON	3.47	5.25	0.079	6
31423	MERCEDES 722.3,722.5 (K1) - selective	68115B	126-272-5026	81-ON	4.09	5.67	0.138	6
31425	MERCEDES 722.3,722.5 (K1)	68115D	126-272-3226	81-ON	4.09	5.67	0.177	6
31427	MERCEDES 722.3,722.5 (B3)	68117A	126-272-6826	81-ON	5.79	6.97	0.110	36
31923	MERCEDES 722.4 FRONT K1, SELECTIVE	68128	201-272-0726	84-ON	3.53	5.04	0.079	6

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
MERCEDES (CONT)								
31421C	MERCEDES 722.6,K1,B1	68118	140-272-0226	96-ON	6.07	7.11	0.071	12
31421G	MERCEDES 722.6, K1,B1	68118C	140-272-2826	02-ON	6.07	7.11	0.110	12
31423C	MERCEDES 722.6 K2	68119	140-272-0626	96-ON	5.77	6.76	0.071	30
31423G	MERCEDES 722.6 K2	68119B	140-272-2926	02-ON	5.77	6.76	0.110	30
31425C	MERCEDES 722.6 K3	68120	140-272-1026	96-ON	3.47	4.81	0.071	24
31425G	MERCEDES 722.6 K3	N/A	140-272-2726	96-ON	3.47	4.81	0.110	24
31427C	MERCEDES 722.6 ,722.9 B2	68122	140-272-0425	96-ON	4.83	6.11	0.071	24
31429C	MERCEDES 722.6,722.9 B3	N/A	140-272-1826	96-ON	6.10	7.52	0.071	30
31429T	MERCEDES 722.6 TORQUE CONVERTER	N/A	N/A	96-ON	5.63	7.25	0.069	20
MINITUBISHI/HYUNDAI								
37021	MINITUBISHI F4A33-1,W4A33 FRONT (DIRECT)	42101M	MD739384, 45477-38000	91-ON	4.12	5.69	0.088	26
37023	MINITUBISHI F4A33-1,W4A33 REAR (FORWARD)	42102M	MD731604, 45451-38000	91-ON	4.36	5.69	0.071	26
37025	MINITUBISHI F4A33-1,EV,W4A33 LOW/REV	42114M	MD731587, 45622-38000	91-ON	5.54	6.54	0.039	20
37321	MINITUBISHI F4A41, 42 OVERDRIVE	41116	45423-39010, MD762332	96-ON	4.65	5.62	0.100	20
37321E	MINITUBISHI F5A51, R5A51/V5A51 Direct	41118C	45561-39500	99-ON	3.47	5.00	0.099	20
37323	MINITUBISHI F4A41, 42 2ND BRAKE, SELECTIVE	41114C	N/A	96-ON	5.13	6.61	0.079	17
37323A	MINITUBISHI F4A41, 42 2ND BRAKE	41114	45626-39000	96-ON	5.13	6.61	0.100	17
37323B	MINITUBISHI F4A51, F5A51 2ND BRAKE	41114A	45626-39500	97-ON	6.03	7.41	0.099	16
37323C	MINITUBISHI F4A51 2ND, LOW/REV.	41114D	N/A	97-ON	6.03	7.41	0.079	16
37323D	MINITUBISHI F4A41, 42 2ND BRAKE WITH UNDERCUT	N/A	N/A	96-ON	5.13	6.61	0.100	17
37325	MINITUBISHI F4A41, 42 UNDERDRIVE	41117	45527-39000, MD762680	96-ON	4.65	5.62	0.070	20
37325A	MINITUBISHI F4A51/F5A51 UNDERDRIVE	41117A	45527-39500	97-ON	4.85	6.09	0.072	20
37325B	MINITUBISHI F4A51/F5A51 OVERDRIVE (0.099")	41116A	45423-39700	97-ON	4.85	6.09	0.099	20
37325C	MINITUBISHI F4A51/F5A51 OVERDRIVE (0.118")	N/A	N/A	01-ON	4.85	6.09	0.118	20
37327	MINITUBISHI F4A41, 42 REVERSE	41113	45446-39000	96-ON	5.25	6.13	0.071	20
37327A	MINITUBISHI F4A51/F5A51 REVERSE	41113A	45446-39500	97-ON	6.04	6.80	0.072	20
37329	MINITUBISHI F4A41, 42 LOW/REV	41115	45633-39000	96-ON	5.55	6.61	0.039	17
37329A	MINITUBISHI F4A51/F5A51 LOW/REV	41115A	45633-39500	97-ON	6.29	7.41	0.039	16
28341	MINITUBISHI KM-171 /2/5/6/7 FRONT	42101A	MD722559	89-ON	4.12	5.30	0.146	24
28351	MINITUBISHI KM172/175/176/177 F/W4A33-1 O/D, 3-4	42112	MD712528, 45561-37000	85-ON	4.17	5.08	0.032	25
28359	MINITUBISHI KM170/171/172 LOW/REV	42109	MD704948	84-88	4.99	6.33	0.040	12

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
MITSUBISHI/HYUNDAI								
28363	MITSUBISHI KM170/171/172/175/176 REAR	42102A	MD722556, 45451-36000	79-ON	4.11	5.30	0.070	24
28365	MITSUBISHI KM177 LOW/REV	42110	MD719834	5/87-88	5.28	6.33	0.039	24
28367	MITSUBISHI KM171/172/175/176/177 LOW/REV	42114	MD727799, 45622-36000	89-ON	5.28	6.46	0.071	20
28539	MITSUBISHI KM175/176/177, W4A32-1 LOW/REV	42113	MD727798	6/88-ON	5.28	6.46	0.039	20
NISSAN								
27021	NISSAN 3N71B,4N71B,M41,FWD,DIR,O/D	66305	MD610261, 31536-X0100, 45361-0100	71-87	3.63	4.72	0.079	28
27025	NISSAN 3/4N71B,M41,N4AEL LOW/REV	66505	MD610110, 31666-X0100	71-ON	4.23	5.67	0.078	13
27221	NISSAN RN3F01A,RL3F01A FRT,REAR	83100	31536-01X00	81-92	4.41	5.27	0.078	12
27223	NISSAN RN3F01A,RL3F01A LOW/REV	83104	31666-01X00	81-92	6.30	7.36	0.079	8
27625C	NISSAN RL3F01A,RL4F02A HIGH	93107A	31536-01X01, 31566-21X00	85-88	4.41	5.28	0.079	24
32621	NISSAN RE0F09A, JATCO JF010E (CVT) REV.	125111	31666-1XD00	03-ON	6.53	7.32	0.055	12
32621A	NISSAN RE0F10A, JATCO JF011E (CVT) REV.	N/A	N/A	07-ON	6.53	7.32	0.055	12
32623	NISSAN RE0F09A, JATCO JF010E, JF011E (CVT) FWD	125112	31532-1XD02	03-ON	4.72	5.67	0.055	30
32627	NISSAN RE0F06A ,CVT,FORWARD	N/A	F06-DP-02 or F06-CS-03, 103102A	96-ON	6.16		0.063	12
32629	NISSAN RE0F06A, CVT, REVERSE	N/A	F06-DP-01 or F06-CS-01, 103101A	96-ON	4.25	5.29	0.063	18
26921	NISSAN RE4/5R01A,R4AEL SUBARU R4AXEL FWD	69111	31536-41X13	88-ON	5.32	5.99	0.070	24
26921A	NISSAN RE4R03A,JR403E FWD	62101	31536-51X07	88-ON	6.11	5.89	0.079	36
26923	NISSAN RE4/5R01A,R4AEL/XEL OVERRUN	69113	31536-41X10	88-ON	4.70	6.12	0.079	6
26923A	NISSAN RE4R03A,JR403E OVERRUN	62103	31536-51X02	88-ON	5.38	6.89	0.079	6
27623B	NISSAN RE/L4R01A,R4AEL,R4AXEL REV	93102B	31536-AA100, 31536-41X14/15	93-ON	5.08	6.16	0.079	30
26925	NISSAN RE4R01A,RE5R01A,R4AEL,HIGH	69117	31536-41X04, BV11-19-451	88-ON	4.41	5.48	0.068	27
26927	NISSAN RE4/5R01A,R4AEL,XEL FWD (0.079")	69112	31536-41X05/12	87-ON	5.36	6.12	0.079	24
26927D	NISSAN RE5R01A REDUCTION BRAKE	69127	31536-60X03	91-UP	4.70	5.76	0.079	8
26929	NISSAN RL4F02A, RE4/5R01A HIGH	93107D	31536-41X03, 31536-41X19	87-ON	4.40	5.48	0.079	27
26929A	NISSAN RE4R03A,JR403E HIGH,REV	62107	31536-51X00	88-ON	5.20	6.35	0.079	40
26931D	NISSAN RE5R01A REDUCTION DIRECT	N/A	31536-60X00	91-ON	3.83	5.08	0.079	28
27127	NISSAN RE4/5R01A,R4AEL/XEL LOW/REV	69114	31666-41X01	88-ON	5.09	6.29	0.079	14
27127A	NISSAN RE4R03A,JR403E LOW/REV	62105	31666-51X00	88-ON	5.52	6.79	0.079	11
29623A	NISSAN RE4F04A,4F20E, MAZDA JF403E FWD	64107	F3XY-7B442A, 31536-80X08	90-ON	4.92	5.67	0.071	32
29625A	NISSAN RE4F04A,4F20E, MAZDA JF403E OVRUN	64109	80X03, FX01-19-587	90-ON	4.45	5.67	0.063	8
29627A	NISSAN RE4F04A,4F20E,JF/LJ4AEL HIGH	63101	F3XY-7B442D, 31536-80X05,	92-ON	3.61	4.69	0.055	28

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
NISSAN (CONT)								
29627B	NISSAN RE4F04A,4F20E,JF/LJ4AEL HIGH	63101A	F6XZ-7B442DA, F3XY-7B442C,	92-ON	3.61	4.69	0.079	28
29629A	NISSAN RE4F04A,4F20E LOW/REV. NARROW TEETH	63103	31666-80X00, F3XY- 7B442F	92-ON	5.91	6.81	0.071	10
27621A	NISSAN RE5R05A REV. (B1)	123113	31666-90X00	02-ON	5.93	7.03	0.079	18
27621B	NISSAN RE5R05A REV. (B1) - Kia Sorento	N/A	31666-90X0C, 45626-4C000	05-08	5.93		0.079	18
27621C	NISSAN RE5R05A,REVERSE BRAKE(B1)-SUV,TRUCK	N/A	31536-AA-310, 31666-95X03	05-08	5.93	7.03	0.063	18
27621D	NISSAN RE5R05A INPUT (K1)	123111	31536-90X00	02-ON	5.68	6.62	0.079	24
27623E	NISSAN RE5R05A HIGH/LOW-REV. (K2)	123112	31536-90X02, 31536-90X0C	02-ON	3.74	5.28	0.094	24
27623F	NISSAN RE5R05A HIGH/LOW-REV. (K2) - SUV, Truck	N/A	31536-95X0A	02-ON	3.74	5.16	0.094	24
27627D	NISSAN RE5R05A DIR.	123116	31536-90X03, 31536-90X1B	02-ON	5.54	6.55	0.094	24
27627E	NISSAN RE5R05A FWD (B3)	123115	31666-90X01, 31666-90X0D	02-ON	4.89	6.28	0.079	18
27629D	NISSAN RE5R05A LOW COAST (B2) (0.079")	123114	31666-90X02, 31666-90X0B	02-ON	4.44	5.57	0.079	18
27623A	NISSAN RL/RE4F02A, RE4/5R01A REV. 1986-ON R4AEL, R4AXEL	93102A	31536-21X00	86-89	5.36	6.16	0.079	30
27625	NISSAN RL4F02A HIGH (MAIXIMA)	93107E	31566-21X01	84-85	4.41	5.29	0.118	24
27625D	NISSAN RL4F02A,RE4F02A HIGH	93107F	31536-21X03	L88-90	4.41	5.28	0.055	24
27625E	NISSAN RL4F02A,RE4F02A HIGH	93107	31536-21X02	85-89	4.41	5.28	0.108	24
27625F	NISSAN RE4F02A HIGH (STANZA, AXXESS)	93107G	31536-21X04	91-94	4.41	5.47	0.095	27
27625G	NISSAN RE4F02A HIGH (MAXIMA)	93107B	31536-21X02, 31566-21X03	10/85-5/88	4.41	5.28	0.067	24
27627	NISSAN RL4F02A,RE4F02A LOW	93112	31596-21X00, 31596-21X01	85-ON	4.85	6.10	0.079	12
29621	NISSAN RL4F03A/V,RE4F03A REV.	99101	31536-31X15, 31532-31X05	91-ON	4.65	6.39	0.079	30
29621B	NISSAN RL4F03A/V,RE4F03A REV. (Dished Spring Steel)	99114	31535-31X08	91-ON				
29623	NISSAN RL4F03A/V,RE4F03A FWD	99105	31536-31X02, 31536-31x14	91-ON	4.53	5.25	0.079	30
29625	NISSAN RL4F03A/V,RE4F03A OVERRUN	99107	31536-31X03	91-ON	4.14	5.25	0.079	6
29627	NISSAN RL4F03A, RE4F03A HIGH (0.079")	99103	31536-31X01, 31536-31X12	91-ON	3.43	4.37	0.079	18
29627E	NISSAN RL4F03A, RE4F03A HIGH (0.059")	99103A	31536-31X13, 31536-31X07	93-ON	3.43	4.37	0.059	18
27629F	NISSAN RE5R05A LOW COAST (B2)	N/A	31666-95X0D	02-ON	4.44	5.57	0.063	16
29629	NISSAN RL4F03A, RE4F03A LOW/REV.	99109	31666-31X01	91-ON	5.47	6.30	0.079	10
RENAULT								
29521	SB308 FWD	N/A	26651-78230	87-ON	2.42	3.34	0.079	6
29523	SB308 REV	N/A	26841-78230	87-ON	3.85	3.34	0.079	8
SUBARU								
27121	SUBARU M41/A TRANS. CASE	66405	31589-AA000, 44646-7000	83-ON	2.84	3.92	0.071	48

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
SUBARU (CONT)								
27123	SUBARU M41,M41A LOW/REV	66506A	31666-AA010	85-ON	4.66	5.70	0.091	13
27125	SUBARU R4AXEL TRANSFER , Loyale	69118	31589-AA030	87-92	4.11	4.92	0.071	30
27125A	SUBARU R4AXEL TRANSFER EXT	69118A	31588-AA040	93-ON	4.11	4.91	0.063	30
27127B	SUBARU R4AXEL LOW & REV	69114D	31666-AA060, 31666-AA-070	93-ON	5.08	6.29	0.063	14
27127C	SUBARU R4AXEL LOW & REV, LEGACY-94, SVX	69114B	31666-AA030	91-ON	5.09		0.071	14
27623B	SUBARU/NISSAN RE/L4R01A,R4AEL,R4AXEL REV	93102B	31536-AA100, 31536-41X14/15	93-ON	5.08	6.16	0.079	30
27921E	SUBARU R4AXEL (4EAT) Low	69111A	31536-AA200, 31536-NF002	98-ON	4.84	5.66	0.055	30
27923E	SUBARU R4AXEL (4EAT) High	69116	31536-AA220, 31536-NF006	98-ON	4.42	6.17	0.078	8
27925E	SUBARU R4AXEL (4EAT) Reverse	69115	31536-AA190, 31536-NF000	98-ON	5.24	6.16	0.063	32
27927E	SUBARU R4AXEL (4EAT) 2-4 Brake	69119	31536-AA142, 31536-NF007	98-ON	5.69	6.87	0.095	24
SUZUKI								
26421	SUZUKI ZF4HP16 D Clutch - Brake-Top selective	N/A	076-914-9080	04-ON	5.27	6.44	0.082	24
26421A	SUZUKI ZF4HP16 D Clutch - Brake-Top	N/A	1063-373-039	04-ON	5.27	6.44	0.070	24
26423	SUZUKI ZF4HP16 F Clutch selective	N/A	1063-370-025	04-ON	5.63	6.88	0.097	16
26423A	SUZUKI ZF4HP16 F Clutch	N/A	1063-377-025	04-ON	5.63	6.88	0.069	16
26425	SUZUKI ZF4HP16 C Clutch - Brake-Bottom internal spline	N/A	1063-275-006	04-ON	7.28	7.28	0.118	30
26427	SUZUKI ZF4HP16 B Clutch - Input-Bottom	N/A	1063-370-044	04-ON	5.63	6.81	0.096	30
26427A	SUZUKI ZF4HP16 B Clutch - Input-Bottom selective, E Clutch - Input-Top	N/A	1063-370-045	04-ON	5.63	6.81	0.081	30
26427B	SUZUKI ZF4HP16 E Clutch - Input-Top selective	N/A	1063-370-044	04-ON	5.63	6.81	0.070	30
TOYOTA								
25421	TOYOTA A40 SERIES O/R, O/D, INTER., LONG TEETH	67101	35634-22090	73-ON	4.02	5.41	0.071	8
25423	TOYOTA A40 SERIES FWD,OD(DIRECT) SHORT TEETH	67102	35634-22070	73-ON	4.02	5.20	0.070	8
25423B	TOYOTA A40 SERIES FWD/DIR	67111A	35634-30090	81-ON	4.02	5.20	0.055	8
25425	TOYOTA A40 SERIES LOW/REV.	67104	35634-22080, 35634-22020	73-ON	4.02	5.35	0.071	15
25427	TOYOTA A40 SERIES INTER. BRAKE#2	67107	35648-30020	80-ON	4.03	5.41	0.091	8
25427A	TOYOTA A40 SERIES OVERRUN BRAKE#1, INT. BRAKE #2.	67122	35648-30010	80-ON	4.03	5.41	0.079	8
25427B	TOYOTA A40 INT BRAKE #2	67108	35648-22010	85-ON	4.04	5.40	0.118	8
25721	TOYOTA A43,DE,DL OVERDRIVE	67127	35634-30080	81-ON	4.59	6.19	0.080	7
25721A	TOYOTA A40 SERIES OVERDRIVE	67124	35634-30010	84-ON	4.59	6.18	0.091	7
25723	TOYOTA A43,DE,DL FWD,DIRECT, O/D	67111	35634-30070	80-ON	4.03	5.20	0.078	8
25821	TOYOTA A130, 140, 240, 245, 350, 343F, 540, FWD, DIR, O/D	89102	35634-32010	83-ON	4.13	5.20	0.071	8

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
TOYOTA (CONT)								
25823	TOYOTA MX-17, A130,140,240, 540 1ST/REV NARROW	89106	35648-32020	83-ON	4.59	5.98	0.071	12
25823A	TOYOTA A245E,246E, A247E 1ST/REV.	89106A	35648-12020	93-ON	4.92	5.98	0.072	12
25825	TOYOTA A130,140,240,540 2ND BRAKE	89105	35648-32010	83-ON	4.59	5.98	0.071	12
25827	TOYOTA A140,A540 O/D DIRECT	89111	35634-20010	87-ON	4.13	5.26	0.071	20
25921	TOYOTA A240,U/D DIRECT, A241H DIFF.	89108	34263-12010	85-ON	3.57	4.48	0.710	20
25923	TOYOTA A240,A244 U/D BRAKE	89110	34264-12010	85-92	3.16	4.65	0.071	8
25925	TOYOTA A240,A245 U/D BRAKE	89110A	34264-12020	93-ON	3.43	4.66	0.071	8
26223	TOYOTA A140 O/D, INTER.	89112	35648-20010	86-ON	5.64	6.90	0.071	12
26023	TOYOTA A340H T/C FRONT/DIRECT	97115	34656-35010	85-ON	4.60	5.82	0.071	29
26121	TOYOTA A340E,341E,340F,FWD	97111	35634-30100	85-ON	4.13	5.10	0.079	8
26121A	TOYOTA A340E, A650E FWD GS 300	97111A	35634-30110	92-ON	4.13	5.23	0.091	8
26123	TOYOTA A340,341,350E,343F LOW/REV.	97114	35648-30031	85-ON	4.30	5.93	0.071	15
26125	TOYOTA A340E,341E,343F,350E 2ND BRAKE (THICK)	97123	35647-30020	85-ON	4.16	5.62	0.098	16
26127	TOYOTA A340E,341E,343F,350E,A650E OD DIR	97110	94479-891-0, MR166471	85-ON	4.13	5.92	0.079	24
26129	TOYOTA A340E,341E,343F,DIRECT	97124	35647-30011	85-ON	4.15	5.59	0.090	6
26129A	TOYOTA A340E/H DIR. (EXC. TRUCK)	97133	35647-14010	85-ON	4.15	5.59	0.118	6
26129B	TOYOTA, LEXUS A340 SERIES, A650E DIRECT CLUTCH	97127	35647-22030	94-ON	4.15	5.63	0.091	24
26129C	TOYOTA ,LEXUS A650E DIRECT CLUTCH	97133J	N/A	98-ON	4.15	5.63	0.071	24
26171	TOYOTA A340E,341E,343F,350E 2ND BRAKE (THIN)	97113	35647-30030	85-ON	4.16	5.61	0.071	16
26173	TOYOTA A340E/H, A650E O/D BRAKE	97100	34634-30020	85-ON	5.64	7.18	0.079	6
26173A	TOYOTA A343F, A350E, A650 O/D BRAKE	97100A	34634-30050, 3549120-8	92-ON	5.64	7.18	0.079	6
26521	TOYOTA A750E/F, A760E/H, A761E/H Direct & Rear	127111	35647-60010	03-ON	5.87	6.65	0.071	24
26521A	TOYOTA A750E/F, A760E/H, A761E/H Rear (Input)	127112	35648-60010	03-ON	5.87	6.66	0.095	24
26523	TOYOTA A750E/F, A761E/H Forward	127113	35634-60020	03-ON	4.17	4.96	0.071	24
26523A	TOYOTA A760E/H, A761E/H coast	N/A	35634-50010	05-On	4.17	4.96	0.096	24
26525	TOYOTA A750E/F, A760E/H, A761E/H #1 Brake (Underdrive)	127114	35691-60010	03-ON	5.53	6.62	0.094	13
26525A	TOYOTA A760E/H, A761E/H Underdrive - selective	N/A	N/A	05-On	5.52	6.62	0.087	13
26527	TOYOTA A750E/F, A760E/H, A761E/H #2 Brake (Overdrive)	127115	35692-60010	03-ON	4.54	6.07	0.079	13
26527A	TOYOTA A760E/H, A761E/H Overdrive - selective	N/A	N/A	05-On	4.53	6.07	0.087	13
26529A	TOYOTA A750E/F, A760E/H, A761E/H #3 Brake (Interm.)	127116	35683-60010	03-ON	5.19	6.75	0.079	16
26529B	TOYOTA A750E/F, A760E/H, A761E/H #4 Brake (Low / Reverse)	127117	35694-60010	03-ON	4.92	6.00	0.071	16

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
TOYOTA (CONT)								
26529C	TOYOTA A760E/H, A761E/H Reverse	N/A	35695-50010	05-On	3.96	4.80	0.071	24
24023	TOYOTA A540,A541E O/D BRAKE	89120	35648-32040, 35648 33030	88-ON	5.64	5.98	0.099	12
24025A	TOYOTA A541E 2ND BRAKE	89119A	35648-33010	94-ON	4.86	6.23	0.070	10
24027	TOYOTA A540E, A341E DIRECT	89117	35634-32020	88-ON	4.16	5.61	0.071	6
24027A	TOYOTA A540, A541E DIRECT	89117A	35634-33030, 35634 33040	94-ON	4.15	5.60	0.055	6
24027B	TOYOTA A540, A541E DIRECT	89117B	35647-33020, 35647 33010	94-ON	4.16	5.60	0.079	6
24029A	TOYOTA A541E LOW/REV.	89106B	35648-33020	94-ON	4.87	6.23	0.063	10
25821A	TOYOTA A540,541 FWD CAMRY,	89102A	35634-33010	92-00	4.15	5.20	0.063	8
25821B	TOYATO A540,541, 650 FWD, LEXUS, CAMRY	89102B	35634-33020	92-00	4.15	5.20	0.055	8
26321	TOYOTA A440,442 FWD, O/D, DIRECT	94101	34264-32020	85-95	4.00	5.30	0.070	10
26321A	TOYOTA A440F/442F FWD(FRONT) SELECTIVE	94101B	35634-36020	85-95	4.00		0.094	10
26321B	TOYOTA AW450-43LE OVERDRIVE DIRECT	94104D	97256969	98-ON	4.04	5.29	0.079	20
26321C	TOYOTA A440F/442F FWD(FRONT) SEL	94101A	35634-36050	85-95	4.00		0.087	10
26321D	TOYOTA A440F/442F FWD(FRONT) SELECTIVE	94101C	35634-36040	85-95	4.00		0.079	10
26323	TOYOTA A440F/442F LOW/REV.	94103	35632-36020	85-92	5.99	7.28	0.071	16
26323A	TOYOTA A442F LOW/REV	94103A	35632-60030	93-ON	5.98	7.26	0.094	16
26323B	TOYOTA AW450-43LE LOW/REV	94103B	97256951	98-ON	5.98		0.110	16
26325	TOYOTA A440F, A442F O/D BRAKE, INTER.	94105	35632-36010	85-95	6.00	7.31	0.095	6
26325A	TOYOTA A442F O/D BRAKE	94105A	35632-60010	85-ON	6.40	7.67	0.095	6
26325C	TOYOTA AW450-43LE REAR DIRECT	94101F	97256939	98-ON	5.99	5.63	0.110	6
26521E	TOYOTA, A960E, REVERSE	N/A	35448-22020	06-ON	5.41	6.26	0.095	24
26523E	TOYOTA, A960E, COAST	N/A	35695-22010	06-ON	3.55	4.32	0.071	24
26523F	TOYOTA A960E FORWARD	N/A	35634-22110	06-ON	3.69		0.071	24
26525E	TOYOTA A960E,DIRECT	N/A	35647-22040	06-ON	5.48	6.26	0.071	24
26527E	TOYOTA A960E,BRAKE#1	N/A	35691-22020	06-ON	5.02	6.16	0.095	12
26527F	TOYOTA A960E BRAKE #2 (2.00mm)	N/A	35692-22010	06-ON	4.09	5.45	0.079	13
26527G	TOYOTA A960E BRAKE #2 (2.50 mm)	N/A	NA	06-ON	4.09	5.45	0.099	13
26529E	TOYOTA A960E 2ND BRAKE (INTERMEDIATE)	N/A	N/A	06-ON	4.68	6.27	0.079	16
26529F	TOYOTA A960E BRAKE # 4 (LOW/REVERSE)	N/A	35694-22010	06-ON	4.33	5.38	0.070	16
26221E	TOYOTA DAIHATSU A4LB-1 U540E/U541E Forward	N/A	N/A	02-ON	4.19		0.079	30
26223E	TOTYOTA DAIHATSU A4LB-1 U540E/U541E Input	N/A	N/A	02-ON	2.68		0.078	20

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
TOYOTA (CONT)								
26225E	TOYOTA DAIHATSU A4LB-1 U540E/U541E Low / Reverse	N/A	N/A	02-ON	4.49		0.072	13
26227E	TOYOTA DAIHATSU A4LB-1 U540E/U541E Center support	N/A	N/A	02-ON	4.49		0.080	30
26229E	TOYOTA DAIHATSU A4LB-1 U540E/U541E Overdrive Brake	N/A	N/A	02-ON	4.49		0.039	13
26221	TOYOTA U140E/F, U240E/241E, U150/151E/F, U250E FORWARD	57111	35634-21010, 35634 28010	99-ON	4.50	5.68	0.071	40
26223A	TOYOTA U140E/F, U240E/241E DIR. CLU.	57112	35647-21010, 35647 28010	99-ON	5.54	6.49	0.118	40
26223B	TOYOTA U150E, U250E DIRECT	57112A	35647-33030, 35647 08010	01-ON	5.54	6.49	0.071	40
26223C	TOYOTA U150E, U250E OVERDRIVE	57117	34616-33010, 35647 33030	01-ON	5.01	6.30	0.071	40
26225	TOYOTA U140E/F, U150/151EU240E/241E, U250E 2ND BRAKE	57114	35691-28010, 35691 21010	99-ON	5.64	7.14	0.079	12
26227	TOYOTA U140E/F, U150E/151E/F U240E/241E, U250E LOW & REV.	57113	35692-28010, 35692 06010	99-ON	5.64	7.02	0.071	12
26229	TOYOTA U140E/F, U150 UNDERDRIVE #2	57116	34264-21010 / 34264-28010	99-ON	3.66	5.03	0.071	11
26229A	TOYOTA U140E/F, U150 UNDERDRIVE #1	57115	34263-21010 / 34263-28010	99-ON	3.91	5.16	0.079	40
26229B	TOYOTA U240E/241E, U250E UNDERDRIVE #1	57115E	34263-32020, 34263 28010	00-ON	3.57	4.70	0.079	40
26227A	TOYOTA U240E/241E, U250E UNDERDRIVE #2	57116E	34264-32020, 34264 28010	00-ON	3.52	4.79	0.071	11
26221D	TOYOTA U340E/341E/F Forward	57113M	35634-52020	00-ON	4.27	5.38	0.075	30
26223D	TOYOTA U340E/341E/F Direct	57114M	35675-52040	00-ON	3.39	4.64	0.118	30
26223F	TOYOTA U340E/341E/F 2nd Coast & Overdrive Brake	57118M	34625-52060	00-ON	5.67	6.70	0.118	15
26223G	TOYOTA U340E/341E/F 2nd Brake	57115M	35678-52020	00-ON	5.67	6.70	0.118	13
26225D	TOYOTA U340E/341E/F 2nd Brake	57115N	35692-52020	00-ON	5.67	6.70	0.079	13
26227D	TOYOTA U340E/341E/F Low/Reverse	57117M	35693-52040	00-ON	5.41	6.50	0.071	13
26229D	TOYOTA U340E/341E/F Coast	57111M	35648-52020	00-ON	3.86	4.86	0.071	30
26221H	TOYOTA U660E C1 - 1st, 2nd, 3rd, 4th drive	N/A	35634-33080, 35634 08010	07-ON	5.67	6.88	0.071	40
26223H	TOYOTA U660E C2 - 4th, 5th, 6th drive	N/A	35647-33040, 35647 08020	07-ON	5.67	6.88	0.085	40
26225H	TOYOTA U660E B1 - 2nd, 6th brake	N/A	N/A	07-ON	6.05		0.073	11
26227H	TOYOTA U660E B2 - 1st, Reverse brake	N/A	N/A	07-ON	6.43		0.630	16
26229H	TOYOTA U660E B3 - 3rd, 5th, Reverse brake	N/A	N/A	07-ON	6.05		0.087	11
VW								
31121	VW 010 LOW & REV.	79104	010-323-227A	75-ON	6.18	7.14	0.078	8
31123	VW 010 FWD & DIR & REV	79100	010-323-139	75-ON	4.06	4.97	0.078	17
31125	VW 010, 087, 089, 090 / AUDI 5000 DIR/REV	79100A	087-323-139	84-ON	4.06	4.23	0.079	53
34221E	VW 01J (CVT) Forward (Lock) - internal teeth	N/A	N/A	02-ON	5.43	5.44	0.076	26
34223E	VW 01J (CVT) Forward (Lock) - internal teeth, 0.089" THK	N/A	N/A	02-ON	5.43	5.44	0.089	26

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
VW (CONT)								
34225E	VW 01J (CVT) Low / Reverse Brake - external teeth	N/A	N/A	02-ON	6.40	8.04	0.076	3
34121	VW AUDI 095,096(01M),097(01N),098(01P) LOW REV. B1 REAR	119100	095-323-227	90-12/94	5.09	6.16	0.079	12
34121A	VW AUDI 095,096(01M),097(01N),098(01P) LOW REV.B1 REAR	119100A	095-323-227A	1/95-ON	5.09	6.16	0.057	12
34123	VW AUDI 095,096(01M),097(01N),098(01P), INTERM. B2 BRAKE FRONT	119104	097-323-463	90-ON	5.35	7.25	0.079	3
34125	VW AUDI 095,096(01M),097(01N),098(01P), INTERM. B2 BRAKE FRONT (SELECTIVE)	119104A	097-323-463A	90-ON	5.34	7.25	0.089	3
34125C	VW 095,096,097,098 (B2)	119104C	097-323-463C	90-ON	5.35	7.24	0.118	3
34127	VW AUDI 095,096(01M),097(01N),098(01P) FWD, REVERSE/DIR BRAKE (K1,K2)	119107	N/A	88-ON	4.09	5.04	0.079	32
34127A	VW AUDI 095,096(01M),097(01N),098(01P)FWD, REVERSE (K1)	119107A	N/A	95-ON	4.09	5.05	0.057	32
34129	VW AUDI 095,096,097,098 K3 (3-4)	119109	N/A	90-12/94	2.84	4.04	0.079	26
34129A	VW AUDI 01M,01N,01P K3 (3-4)	119109A	N/A	94-ON	2.84	4.31	0.057	28
34129B	VW AR4 (K3-OVERDRIVE)	N/A	N/A	89-ON	2.84	4.31	0.079	28
32421	VW JF404E, REVERSE	124111	001-323-139	99-ON	4.47		0.118	15
32423	VW JF404E, LOW	124112	001-323-139E	99-ON	3.19		0.052	24
32425	VW JF404E, Low/Rev.	124113	001-323-463	99-ON	5.47		0.050	10
32427	VW JF404E, DIRECT	124114	001-323-944	99-ON	3.80		0.079	24
32427A	VW JF404E, Direct	101114A	N/A	99-ON	3.80		0.098	24
ZF								
31221	ZF3/4HP22 (FWD A PACK)	82100	24231-205-917, 1043-302-046	76-ON	3.00	4.25	0.070	24
31221B	ZF3/4HP22, ZF4HP24 (FWD A PACK)	82100A	24231-205-919, 1043-302-123	84-ON	2.99		0.047	24
31223	ZF 3/4HP22 (B,C,D), ZF4HP18(C)	82104	24231-205-935, 0301-302-037	76-ON	4.70	6.13	0.071	12
31223A	ZF3HP22, ZF4HP24 (B, C, D), ZF5HP18 (C),	82104A	24231-209-825, 1043-302-021	76-84	4.69	6.13	0.082	12
29221	FWD,DIRECT,INTER,OVERRUN, ZF5HP19/FL/FLA (G-PACK)	85121	1056-377-044,1036-302-015	86-ON	4.73	5.52	0.071	24
29223	ZF4HP14 LOW/REV, D CLUTCH	85123	1036-317-006	86-94	4.74	5.83	0.047	24
29225	ZF4HP14 INPUT, 3RD/4TH E CLUTCH	85124	1036-330-036	86-94	3.00	4.11	0.071	30
26421	ZF4HP16 D Clutch - Brake-Top selective	N/A	076-914-9080	04-ON	5.27	6.44	0.082	24
26421A	ZF4HP16 D Clutch - Brake-Top	N/A	1063-373-039	04-ON	5.27	6.44	0.070	24
26423	ZF4HP16 F Clutch selective	N/A	1063-370-025	04-ON	5.63	6.88	0.097	16
26423A	ZF4HP16 F Clutch	N/A	1063-377-025	04-ON	5.63	6.88	0.069	16
26425	ZF4HP16 C Clutch - Brake-Bottom internal spline	N/A	1063-275-006	04-ON	5.37	7.28	0.118	30
26427	ZF4HP16 B Clutch - Input-Bottom	N/A	1063-370-044	04-ON	5.63	6.81	0.096	30
26427A	ZF4HP16 B Clutch - Input-Bottom selective, E Clutch - Input-Top	N/A	1063-370-045	04-ON	5.63	6.81	0.081	30

STEEL PLATE

Effective: 7/11/2011

GFX #	APPLICATION	Industry #	OEM #	YEARS	ID	OD	THK	Teeth
ZF (CONT)								
26427B	ZF4HP16 E Clutch - Input-Top selective	N/A	1063-370-044	04-ON	5.63	6.81	0.070	30
31821	ZF4HP-22/24 (E)	82111	24231-215-440, 1043-330-021	84-ON	4.21	5.28	0.059	24
31823	ZF4HP-22/24 (A, F)	82112	24231-215-453, 1043-330-022	84-ON	4.21	5.28	0.083	24
31823A	ZF4HP24 (A) (WAVED)	82100C	1043-330-140	87-ON	4.21	5.28	0.055	24
31825	ZF4HP-24 (D)	82113	1043-317-040	87-ON	4.81	6.14	0.047	12
32223	ZF5HP18, ZF4HP18,(A,B,D PACKS), ZF5HP19 (A, D PACK)	85122	1050-302-011, 1060-370-002	91-ON	5.20	6.03	0.071	24
32225	ZF5HP18, ZF4HP18, ZF5HP19 (E PACK)	85134	1050-230-059, 1050-330-017	91-ON	3.07	4.51	0.071	30
32229	ZF5HP18, ZH5HP30, ZF5HP19/FL/FLA OVERDRIVE (F-PACK)	85121A	1056-329-002, 1056-377-045	91-ON	4.73	5.52	0.118	24
31821D	ZF5HP30 A CLUTCH, FLAT	85122A	1055-370-089	93-ON	4.69	5.90	0.118	24
31825D	ZF5HP30 E1 & F CLUTCH, ZF5HP24 F-Overdrive/5th	85137	1055-374-024, 1055-374-030	96-ON	4.69	5.91	0.071	24
31827D	ZF5HP24/A A-Forward, C-Inter/Overrun	114111	1058-370-053, 1058-370-066	96-ON	4.21	5.41	0.082	24
31829D	ZF5HP24/A B-Direct/Reverse, D-Low/Reverse, E-3rd/4th	114112	1058-370-050, 1058-370-073	96-ON	6.10	7.29	0.118	30
31829G	ZF5HP 24A,B,D,E,SELECTIVE,96-ON, ZF4HP20 E CLUTCH	114112A	1058-370-070	96-ON	6.10	7.29	0.082	30
31829H	ZF5HP25A, ,B,D,E SELECTIVE 96-00N,ZF4HP20 B CLUTCH	114112B	1058-370-071	96-ON	6.10	7.29	0.094	30
32221A	ZH5HP19/FL/FLA B - DIRECT	85106	1060-372-002	95-ON	5.20	6.39	0.071	24
32221B	ZH5HP19 C- INTER./OVERTURN, ZF4HP20 (PEUGEOT) D-CLUTCH	85107B	1060-310-027, 1060-310-053	97-03	5.75	6.92	0.094	24
32221	ZH5HP19/FL/FLA C- INTER./OVERTURN ZF4HP20 D-CLUTCH	85107	1060-310-004, 1019-373-023	95-ON	5.75	6.92	0.071	24
32221C	ZF6HP19/A/X, A Clutch	N/A	1071-372-010	04-ON	6.05	6.91	0.118	30
32223C	ZF6HP19/A/X, B Clutch	N/A	1071-372-025	04-ON	6.05	6.91	0.094	30
32225C	ZF6HP19/A/X, C Clutch	N/A	1071-375-006	04-ON	4.68	6.34	0.098	24
32227C	ZF6HP19/A/X, D Clutch	N/A	1071-373-009	04-ON	5.08	6.18	0.071	24
32229C	ZF6HP19/X, E Clutch	N/A	1071-371-048	04-ON	3.82	5.09	0.083	24
32229D	ZF6HP19A, E Clutch	N/A	1071-371-052	04-ON	3.82	5.09	0.059	24